

# MAAP #38: United Cacao deforestation in area classified as “Forest Production”


July 11, 2016

Donate

The Peruvian Ministry of Agriculture and Irrigation (MINAGRI) recently issued a resolution approving the Update of the Soil and Optimum Land Use Suitability Studies for Areas in the Loreto Region (<http://busquedas.elperuano.com.pe/normaslegales/aprueban-actualizacion-de-los-estudios-de-suelos-y-capacida-resolucion-no-300-2016-minagri-dvdiar-dgaaa-1394544-1/>). It is important to emphasize that “**Optimum Land Use**” (*Capacidad de Uso Mayor* in Spanish) is *not* determined by forest cover, but the quantitative interpretation of the soil, climate, and topography.

This new resolution represents an important advance in forest management in Peru because, according to both the previous<sup>1</sup> and current<sup>2</sup> Forestry Law, if the **Optimum Land Use** of a particular area is classified as **Forest Production** or **Protection**, it is illegal to change the land use to agriculture and cause deforestation. Thus, it is only possible to request land use change if the area has been classified as “Agriculture” (Optimum Land Use Annual Crop, Permanent Crop, or Pasture).<sup>3</sup>

Here, we analyze the spatial data corresponding to the new resolution. In **Image 38a**, we show that **92.6% (2,200 hectares) of the deforestation**<sup>4</sup> associated with the United Cacao project occurred on areas with an **Optimum Land Use** classification of **Forest Production**<sup>5</sup>. This classification “groups the lands in which climatic, terrain and soil conditions are not favorable for intensive cultivation, permanent crops, nor pastures, but for the production of timber species.”




([https://www.maaprogram.org/wp-content/uploads/2016/07/MAAP\\_Tam\\_CUM\\_v3.jpg](https://www.maaprogram.org/wp-content/uploads/2016/07/MAAP_Tam_CUM_v3.jpg))

Image 38a. Data: MINAGRI 2016. Red lines indicate areas deforested by United Cacao between 2013 and 2016. Green indicates areas with Optimum Land Use classification of Forest Production, while the yellows indicate areas with Optimum Land Use classification of Agriculture.

In addition, 3.8% of the deforestation occurred in areas with an Optimum Land Use classification of Pasture/Forestry, while the remaining 3.6% occurred in areas with classification of Pasture. However, it is important to emphasize that even in these areas with an agricultural classification, our analysis of satellite imagery found that they were actually covered with primary forest (see Image 38b).

**In conclusion**, the vast majority of deforestation caused by United Cacao occurred in areas classified as optimally suited for forest production, where changes in land-use and associated deforestation are not permitted.



([https://www.maaprogram.org/wp-content/uploads/2016/07/MAAP\\_Tam\\_CUM\\_b\\_v1.jpg](https://www.maaprogram.org/wp-content/uploads/2016/07/MAAP_Tam_CUM_b_v1.jpg))

*Imagen 38b. Data: Landsat/NASA/USGS*

## Notes

<sup>1</sup>Ley 27308 Artículo 7. Decreto Supremo 014-2001-AG, Reglamento de la Ley Forestal y de Fauna Silvestre, Art. 36.

<sup>2</sup> LEY FORESTAL Y DE FAUNA SILVESTRE (LEY N° 29763), Artículo 37

<sup>3</sup> Decreto Legislativo No. 653, Ley de Promoción de las Inversiones en el Sector Agrario (1991)

<sup>4</sup> See MAAP #35 (<https://www.maaprogram.org/2016/united-cacao-2/>) for more information regarding this deforestation.

<sup>5</sup> Specifically, this area is classified as F2s: Tierras Aptas para Producción Forestal (Símbolo F), Clase – Calidad Agrológica Media (Símbolo F2), Subclase – Limitación por Suelo (Símbolo “s”)

---

## Citation

Finer M, Novoa S, Cruz C (2016) United Cacao deforestation in area classified as “Forest Production.” MAAP: 38.

---